



## SAFETY DATA SHEET

### Anglo Danish Oil

#### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME                    Anglo Danish Oil

SUPPLIER                            Anglo Building Products Ltd  
 RUST-OLEUM UK Ltd  
 Unit 6, Spitfire Close  
 Coventry Business Park  
 Coventry  
 CV5 6UR  
 +44 (0) 2476 717 329  
 +44 (0) 2476 718 930  
 info.uk@ro-m.com

#### 2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

#### 3 COMPOSITION/INFORMATION ON INGREDIENTS

| Name  | EC No.    | CAS-No.    | Content | Classification             |
|---|-----------|------------|---------|----------------------------|
| cozirc driers   |           |            | < 1%    | Xn;R65. Mut 3;R68. R42/43. |
| DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSENE - UNSPECIFIED | 265-149-8 | 64742-47-8 | 30-60%  | Xn;R65                     |

The Full Text for all R-Phrases are Displayed in Section 16

#### 4 FIRST-AID MEASURES

##### INHALATION

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

##### INGESTION

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

##### SKIN CONTACT

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

##### EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

#### 5 FIRE-FIGHTING MEASURES

##### EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

#### 6 ACCIDENTAL RELEASE MEASURES

##### SPILL CLEAN UP METHODS

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

#### 7 HANDLING AND STORAGE

##### USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

##### STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### PROTECTIVE EQUIPMENT



### ENGINEERING MEASURES

Provide adequate ventilation. Observe Workplace Exposure Limits and minimise the risk of inhalation of vapours.

### RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

### HAND PROTECTION

Use suitable protective gloves if risk of skin contact.

### EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

### OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

### HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

|                                 |                    |                  |      |
|---------------------------------|--------------------|------------------|------|
| APPEARANCE                      | Liquid             |                  |      |
| COLOUR                          | Brownish           |                  |      |
| ODOUR                           | Slight odour       |                  |      |
| SOLUBILITY                      | Insoluble in water |                  |      |
| BOILING POINT (°C)              | >200C              | RELATIVE DENSITY | <1.0 |
| VISCOSITY                       | >7 Cst @40C        | FLASH POINT (°C) | >63C |
| VOLATILE ORGANIC COMPOUND (VOC) | >40 g/litre        |                  |      |

## 10 STABILITY AND REACTIVITY

### STABILITY

Stable under normal temperature conditions.

### CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

### HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## 11 TOXICOLOGICAL INFORMATION

### INHALATION

In high concentrations, vapours may irritate throat and respiratory system and cause coughing.

### INGESTION

May cause discomfort if swallowed.

### SKIN CONTACT

Liquid may irritate skin.

### EYE CONTACT

Spray and vapour in the eyes may cause irritation and smarting.

## 12 ECOLOGICAL INFORMATION

### ECOTOXICITY

Not regarded as dangerous for the environment.

## Anglo Danish Oil

**13 DISPOSAL CONSIDERATIONS**

## DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

**14 TRANSPORT INFORMATION**

|                      |                 |
|----------------------|-----------------|
| ROAD TRANSPORT NOTES | Not Classified  |
| RAIL TRANSPORT NOTES | Not Classified. |
| SEA TRANSPORT NOTES  | Not Classified. |
| AIR TRANSPORT NOTES  | Not Classified. |

**15 REGULATORY INFORMATION**

## RISK PHRASES

NC Not classified.

## SAFETY PHRASES

P13 Safety data sheet available for professional user on request.  
P14 Contains coziirc driers. May produce an allergic reaction.

## STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

## APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

## GUIDANCE NOTES

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

**16 OTHER INFORMATION**

## GENERAL INFORMATION

Under certain conditions, applicators, cloths, sawdust, etc., impregnated with this product can spontaneously combust. To prevent the possibility of spontaneous combustion impregnated applicators, cloths, sawdust, etc., should be placed immediately in a metal container filled with water, sealed & placed outside the building. The container & it's contents should then be disposed of according to local regulations.

REVISION DATE 05/12/2008

REV. NO./REPL. SDS GENERATED 2

## RISK PHRASES IN FULL

R42/43 May cause sensitisation by inhalation and skin contact.  
R65 Harmful: may cause lung damage if swallowed.  
R68 Possible risk of irreversible effects.